

LCS-25



**ALSO AVAILABLE
AS PLUG-IN!**

SMALL. RELIABLE. BUILT TO AUTOMOTIVE STANDARDS. The LCS-25 from ClipperCreek is the ideal solution for home charging. Since the last thing you need is one more item in your garage, ClipperCreek has packed close to 5kW of power in this small package. Quickly install and you are on your way!

- **LOW PROFILE** – One of the smallest units in the industry
- **QUALITY** – Technology that works for the life of your current plug-in vehicle and then some
- **CONVENIENT** – 25 feet of charging cable for installation and operation flexibility
- **DURABLE** – Rugged, fully sealed NEMA 4 enclosure for installation anywhere
- **RELIABLE** – Backed by ClipperCreek's 3-year warranty



LCS-25

PRODUCT OVERVIEW

QUESTIONS? TO ORDER!

Call ClipperCreek Today!

530-887-1674

www.clippercreek.com



Optional Holster
for wall mount

ELECTRICAL SPECIFICATIONS

- **Service:** 208/240V, 25A, dedicated circuit
- **Charge current or output power:** 208/240V, 20A max
- **Service ground monitor:** Constantly checks for presence of proper safety ground
- **Automatic circuit reclosure after minor power faults**
- **Charge Circuit Interruption Device:** Ground fault protection with fully automated self-test - eliminates manual user testing

MATERIAL SPECIFICATIONS

- Indoor/outdoor rated fully sealed (NEMA 4) enclosure
- Operating Temperatures at -22°F to 122°F (-30°C to 50°C)
- 11" L x 4" W x 3" D (279mm L x 102mm W x 76mm D)
- Installation: Hardwire or plug connected
- 3' of installation conduit, pigtail supplied
- Optional holster
- ETL Listed

AVAILABLE AS



PLUG-IN

model: LCS-25P

NEMA L6-30

NEMA 14-30

NEMA 14-50

NEMA 6-50

CODES AND STANDARDS

- **UL 2594** Electric Vehicle Supply Equipment
- **UL 2231** Personal Protection Device (i.e., CCID Hardware)
- **UL 1998** Standard for Safety-Related Software
- **NEC 625** Electric Vehicle Charge System
- **SAE-J1772™** Electric Vehicle Conductive Charge Coupler

